


O.E. TIRES/EUROPE & ASIA

	Pattern	Size	Load/Speed Index	TT./TBL	Applicable Rims Recommended Rim	Overall Diameter	Overall Width	
MOPED	VRM-099	2 1/2 -16	42 J	TL	1.60 X 16	544	70	
	VRM-201	2 1/2 -16	42 P	TBL	1.60 X 16	548	70	
	VRM-099	2 3/4 -16	43 J	TL	1.85 X 16	555	77	
	VRM-201	2 3/4 -16	46 P	TBL	1.85 X 16	558	77	
SCOOTER	VRM-054	3.00 -10	42 J	TL	2.15 X 10	429	86	
	VRM-134	3.00 -10	42 J	TL	2.15 X 10	405.5	83	
	VRM-100	100/80-10	56 J	TBL	2.50 X 10	420	102.4	
	VRM-134	100/80-10	56 J	TBL	2.50 X 10	419	95	
	VRM-144	100/80-10	53 L	TBL	2.50 X 10	426	96	
	VRM-217	100/80-10	53 L	TBL	2.50 X 10	423	100	
	VRM-098	100/90-10	56 J	TBL	2.50 X 10	428.5	96	
	VRM-144	120/70-10	54 L	TBL	3.50 X 10	421	120.5	
	VRM-217	120/70-10	54 L	TBL	3.50 X 10	422	112	
	VRM-134	130/70-10	62 J	TBL	3.50 X 10	435.7	129	
	VRM-112	130/90-10	61 J	TBL	3.00 X 10	493.5	137	
	VRM-134	120/70-11	50 L	TBL	3.50 X 11	448.6	114.2	
	VRM-134	130/70-11	60 L	TBL	3.50 X 11	459	125	
	VRM-112	110/90-12	64 M	TBL	2.50 X 12	502	107	
	VRM-134	120/70-12	51 L	TBL	3.50 X 12	469	120	
	VRM-119C	120/70-12	60 P	TBL	3.50 X 12	475	120	
	VRM-155	120/70-12	51 L	TBL	3.50 X 12	475	122	
	VRM-119C	130/70-12	60 P	TBL	3.50 X 12	491	128	
	VRM-155	130/70-12	56 L	TBL	3.50 X 12	486	123.2	
	VRM-134	140/60-12	56 M	TBL	3.50 X 12	476	141	
	VRM-184	120/70-13	53 L	TBL	3.50 X 13	493	126	
	VRM-119C	120/70-13	53 P	TBL	3.50 X 13	492	125	
	VRM-119C	130/60-13	60 L	TBL	3.50 X 13	488	126.5	
	VRM-119C	130/60-13	60 P	TBL	3.50 X 13	488	133	
	VRM-119B	130/60-13	53 J	TBL	3.50 X 13	490	124	
	VRM-184	140/60-13	57 L	TBL	3.50 X 13	510	135	
	VRM-281	120/70-14	61 H	TBL	3.50 X 14	518	115	
	VRM-281	140/60-14	64 H	TBL	3.50 X 14	533	132	
	VRM-144	110/80-14	59 J	TBL	2.50 X 14	531.5	104	
	VRM-144	80/80-14	46 J	TBL	1.85 X 14	543	176.1	
	VRM-144	90/80-16	52 J	TBL	2.15 X 16	555	185	
	STREET	VRM-279F	2.25 -17	33 L	TL	1.40 X 17	558	61
		VRM-279R	2.50 -17	38 L	TL	1.60 X 17	568	67
		VRM-100	2.75 -14	43 J	TL	1.85 X 14	513	77
VRM-100		3.00 -14	56 J	TL	1.85 X 14	521	89.2	
VRM-100		3.25 -16	56 J	TL	2.15 X 16	591	97	
VRM-282		70/90-14	34 P	TL	1.60 X 14	478	63.8	
VRM-282		80/90-14	40 P	TL	1.85 X 14	493.5	73.5	
VRM-087		80/80-14	43 J	TL	1.85 X 14	495	74	
VRM-087		90/80-14	59 L	TBL	2.15 X 14	499	88.5	
VRM-234F		60/100-17	33 P	TL	1.40 X 17	558.5	66.5	
VRM-295F		60/100-17	33 P	TL	1.40 X 17	557	62	
VRM-304		60/100-17	38 P	TL	1.40 X 17	551	60	
VRM-244		70/90-17	38 P	TL	1.60 X 17	557.8	66.1	
VRM-234R		70/90-17	43 P	TL	1.60 X 17	565	67.5	
VRM-295R		70/90-17	43 P	TL	1.60 X 17	562	63	
VRM-244		80/90-17	44 P	TL	1.85 X 17	575.5	75.3	
VRM-304		80/90-17	44 P	TL	1.85 X 17	575	76.5	
VRM-097F		2.75/80-16	43 J	TL	1.60 X 16	547	77	
VRM-097R		3.25/80-16	56 L	TL	1.85 X 16	562	88	
VRM-224		100/80-16	50 T	TBL	2.50 X 16	571	102	
VRM-134		100/80-17	52 S	TL	2.50 X 17	604.8	96	
VRM-294		100/80-17	52 S	TBL	2.50 X 17	598	96	
VRM-224		110/70-16	52 P	TBL	3.00 X 16	560	109	
VRM-224		130/70-16	61 P	TBL	3.50 X 16	583	125	
VRM-134		130/70-17	62 S	TL	3.50 X 17	610	121	
VRM-294		130/70-17	62 S	TL/TBL	3.50 X 17	621	132	
TRAIL	VRM-122	80/90-21	48 P	TL	1.85 X 21	690	78	
	VRM-122	90/90-21	54 P	TL	2.15 X 21	714	93	
	VRM-193	100/90-18	56 P	TL	2.50 X 18	642	103	
	VRM-122	110/80-18	62 P	TL	2.50 X 18	647	103	
	VRM-193	130/80-17	65 P	TL	3.00 X 17	642	128	
	VRM-219	2.50-16	36 L	TL	1.60 X 16	545.3	67.2	
	VRM-219	2.75-14	35 L	TL	1.85 X 14	510	72.5	
	VRM-221	3.00-21	51 P	TL	1.85 X 21	701	84	
VRM-221	4.10-18	60 P	TL	2.50 X 18	648	114		
JUNIOR MOTORCROSS	VRM-270	2.50-10	32 J	TL	1.60 X 10	385	69	
	VRM-271	2.75-10	37 J	TL	1.60 X 10	396	77	
	VRM-174	2.50-15		TL	1.60 X 15	532	72	
	VRM-174	3.00-12		TL	1.85 X 12	477	90.5	
	VRM-273	80/100-12	41 M	TL	1.85 X 12	455.5	81.5	
	VRM-272	60/100-14	29 M	TL	1.40 X 14	483	72	
MOTORCROSS	VRM-140	2.50-10	33 J	TL	1.60 X 10	394	72	
	VRM-140	90/100-16	51 M	TL	2.15 X 16	602	101	
	VRM-140	70/100-19	62 M	TL	1.60 X 19	600	74	
	VRM-211	90/90-21 E.L.M. M	54 R	TL	2.15 X 21	699	84	
	VRM-211	120/90-18 E.L.M. I	65 R	TL	2.75 X 18	671	112	
	VRM-308	2.75-21	45 L	TL	1.85 X 21	695	77	
VRM-308	4.00 R18	64 L	TBL	MT 2.15 X 18	702	104		



Vee Rubber

924 Rama 9 Road, Bangkapi, Huay-kwang, Bangkok 10310, Thailand.
Tel . (662) 719-6644-5 Fax : (662) 719-6661-2

www.veerubber.co.th

E-mail : info@veerubber.co.th
: vithorn@veerubber.co.th
: vichit@veerubber.co.th

Vee Rubber
PERFORMANCE TIRES

MAXI SCOOTER

www.veerubber.co.th



VRM-054

Size	Load/Speed Index	F/R	TT/TBL
100/90-10	56 P	F,R	TT,TBL



VRM-090

Size	Load/Speed Index	F/R	TT/TBL
100/90-10	56 L	R	TT,TBL



VRM-112

Size	Load/Speed Index	F/R	TT/TBL
110/90-12	64 M	F,R	TBL



VRM-119B

Size	Load/Speed Index	F/R	TT/TBL
110/90-10	66 L	F,R	TBL
110/90-12	64 P	F,R	TBL
110/90-13	56 P	F,R	TBL
110/100-12	67 L	F,R	TBL
120/80-14	58 S	F,R	TBL
120/90-10	66 L	F,R	TBL
130/90-10	61 L	F,R	TT,TBL



VRM-119C

Size	Load/Speed Index	F/R	TT/TBL
120/70-12	60 P	F	TBL
120/70-13	53 P	-	TBL
120/90-10	66 L	-	TBL
130/60-13	60 P	-	TBL
130/70-12	60 P,62 P	R	TBL
130/70-13	63 P	R	TBL
130/90-10	70 L	-	TBL
140/60-12	62 L	R	TBL
140/70-12	65 P	R	TBL
150/70-12	64 S	-	TBL



VRM-133

Size	Load/Speed Index	F/R	TT/TBL
120/70-11	50 M	F,R	TBL
120/80-12	65 M	F,R	TBL
120/90-10	66 L	-	TBL
130/90-10	70 L	-	TBL



VRM-134

Size	Load/Speed Index	F/R	TT/TBL
100/80-10	52 S	-	TT,TBL
100/90-10	56 L	R	TT,TBL
110/90-12	64 L	-	TBL
110/90-12	64 S	-	TBL
120/70-11	50 L	F	TBL
120/70-12	51 L	F	TBL
130/70-11	60 L	R	TBL
130/70-12	56 L	R	TBL
130/70-12	62 L	R	TBL
140/60-12	56 M	R	TBL



VRM-137

Size	Load/Speed Index	F/R	TT/TBL
120/90-10	66 M	F	TBL
130/90-10	66 M	R	TBL



VRM-144

Size	Load/Speed Index	F/R	TT/TBL
100/80-10	53 L	F	TBL
100/80-10	56 L	F	TBL
120/70-10	54 L	R	TBL



VRM-155

Size	Load/Speed Index	F/R	TT/TBL
110/70-12	47 L,62 P	F,R	TBL
110/90-12	64 L	F,R	TBL
110/90-13	56 L	F,R	TBL
120/70-12	51 L,51 S	F,R	TBL
120/70-12	58 P	F,R	TBL
130/70-12	56 L	F,R	TBL
130/70-12	56 S	F,R	TBL
130/70-13	57 L	F,R	TBL
140/70-12	60 L	F,R	TBL



VRM-162

Size	Load/Speed Index	F/R	TT/TBL
115/80-13	52 M	F,R	TBL
140/70-13	62 M	F,R	TBL



VRM-184

Size	Load/Speed Index	F/R	TT/TBL
110/90-13	60 L	F,R	TBL
110/90-13	60 S	F,R	TBL
120/70-12	51 L	F,R	TBL
120/70-13	53 L	F,R	TBL
130/60-13	61 L	F,R	TBL
130/70-12	61 L	F,R	TBL
130/70-13	60 L	F,R	TBL
130/70-13	60 S	F,R	TBL
140/60-13	57 L	F,R	TBL



VRM-217

Size	Load/Speed Index	F/R	TT/TBL
100/80-10	53 L	-	TBL
110/70-11	45 L	-	TBL
120/70-10	54 L	-	TBL



VRM-228

Size	Load/Speed Index	F/R	TT/TBL
3.50-10	51 P	-	TT



VRM-281

Size	Load/Speed Index	F/R	TT/TBL
120/70-12	58 S	F,R	TBL
120/70-14	61 H	F,R	TBL
120/70-15	56 H	F,R	TBL
130/60-13	60 H	F,R	TBL
130/70-12	62 S	F,R	TBL
140/70-12	64 S	F,R	TBL
140/60-14	64 H	F,R	TBL
140/70-14	68 H	F,R	TBL



VRM-318

Size	Load/Speed Index	F/R	TT/TBL
120/90-10	57 L	F,R	TBL
150/80-10	65 L	F,R	TBL

MAXI SCOOTER

MAXI SCOOTER



VRM-319F

Size	Load/Speed Index	F/R	TT/TBL
120/70-12 58 P		F	TBL
120/70-14 55 P		F	TBL



VRM-319R

Size	Load/Speed Index	F/R	TT/TBL
130/70-12 62 P		R	TBL
140/60-14 64 S		R	TBL

SCOOTER TIRES

www.veerubber.co.th



VRM-018

Size	Load/Speed Index	F/R	TT/TBL
2.50-10	39 J	F	TT.



VRM-051

Size	Load/Speed Index	F/R	TT/TBL
3.50-8	46 J	R	TT.



VRM-052

Size	Load/Speed Index	F/R	TT/TBL
2.75-10	37 J	F	TT.



VRM-054

Size	Load/Speed Index	F/R	TT/TBL
3.00-10	42 J	F,R TT./TBL.	
3.50-10	59 J	F,R TT./TBL.	
120/90-10	56 J	F,R	TT.



VRM-081

Size	Load/Speed Index	F/R	TT/TBL
3.00-10	42 J	F,R	TT.



VRM-094

Size	Load/Speed Index	F/R	TT/TBL
3.00-12	43 J	F,R	TT.



VRM-098

Size	Load/Speed Index	F/R	TT/TBL
100/90-10	56 J	R	TT./TBL.



VRM-099

Size	Load/Speed Index	F/R	TT/TBL
3.00-10	42 J	F,R TT./TBL.	
3.50-10	56 J	R	TT./TBL.



VRM-100

Size	Load/Speed Index	F/R	TT/TBL
90/90-10	50 J	R	TT./TBL.
100/80-10	56 J	R	TT./TBL.
120/70-12	58 J	F	TT./TBL.
130/70-12	62 J	R	TT./TBL.

SCOOTER TIRES

SCOOTER TIRES

www.veerubber.co.th



VRM-108

Size	Load/Speed Index	F/R	TT/TBL
3.50-8	45 J	R	TT
4.00-8	55 J	R	TT



VRM-112

Size	Load/Speed Index	F/R	TT/TBL
120/90-10	56 J	F,R	TT/TBL
130/90-10	61 J	R	TT/TBL



VRM-113

Size	Load/Speed Index	F/R	TT/TBL
3.00-8	37 J	F	TT



VRM-116

Size	Load/Speed Index	F/R	TT/TBL
90/90-10	50 J	F,R	TT/TBL
100/80-10	56 J	F,R	TT/TBL



VRM-119B

Size	Load/Speed Index	F/R	TT/TBL
2.75-10	40 J	F	TT
100/80-10	56 J	F,R	TT/TBL
120/80-14	58 S	F,R	TBL
120/90-10	56 J	F,R	TT/TBL
130/60-13	53 J	F,R	TBL
130/60-13	55 J	F,R	TBL
130/90-10	61 J	F,R	TBL



VRM-133

Size	Load/Speed Index	F/R	TT/TBL
90/90-10	50 J	F,R	TBL
100/90-10	56 J	F,R	TBL
110/80-10	58 J	F,R	TBL
110/90-10	61 J	F,R	TBL
120/90-10	56 J	F,R	TBL
130/60-13	55 J	F,R	TBL
130/70-12	61 J	F,R	TBL
130/80-12	69 J	F,R	TBL
130/90-10	61 J	F,R	TBL



VRM-134

Size	Load/Speed Index	F/R	TT/TBL
3.00-10	42 J	F,R	TT/TBL
3.50-10	56 J	R	TT/TBL
90/90-10	50 J	F,R	TT/TBL
100/80-10	52 J	F,R	TBL
100/80-10	56 J	F,R	TT/TBL
110/80-10	58 J	F,R	TBL
130/70-10	62 J	F,R	TBL



VRM-138

Size	Load/Speed Index	F/R	TT/TBL
4.00-10	74 J	F,R	TT
4.00-12	77 J	F,R	TT
4.50-10	76 J	F,R	TT



VRM-139

Size	Load/Speed Index	F/R	TT/TBL
100/90-10	61 J	F,R	TT
120/70-12	51 L	F,R	TBL
140/70-12	65 L	R	TBL



VRM-140

Size	Load/Speed Index	F/R	TT/TBL
110/90-12	-	F,R	TBL
120/90-10	-	F,R	TBL



VRM-144

Size	Load/Speed Index	F/R	TT/TBL
3.50-10	51 J	F,R	TT/TBL
70/90-16	42 J	F	TT/TBL
80/80-16	46 J	R	TBL
80/80-16	46 J	R	TBL (POSTAL)
90/80-16	52 J	R	TT/TBL
110/80-14	59 J	R	TBL
110/80-14	59 J	R	TBL (POSTAL)



VRM-146

Size	Load/Speed Index	F/R	TT/TBL
3.00-10	42 J	F,R	TBL
3.50-10	51 J	F,R	TBL
3.50-10	56 J	F,R	TBL
80/90-10	44 J	F,R	TBL
80/100-10	38 J	F,R	TBL
90/90-10	50 J	F,R	TBL
90/100-10	53 J	F,R	TBL
100/90-10	56 J	F,R	TBL
100/80-10	53 J	F,R	TBL



VRM-162

Size	Load/Speed Index	F/R	TT/TBL
130/70-13	57 J	F,R	TBL



VRM-164

Size	Load/Speed Index	F/R	TT/TBL
3.50-8	45 J	F,R	TT



VRM-219

Size	Load/Speed Index	F/R	TT/TBL
3.50-10	51 J	-	TT



VRM-220

Size	Load/Speed Index	F/R	TT/TBL
3.00-12	47 J	-	TT



VRM-279F

Size	Load/Speed Index	F/R	TT/TBL
90/90-12	44 J	F	TBL
110/90-10	51 J	R	TBL



VRM-342

Size	Load/Speed Index	F/R	TT/TBL
120/70-13	53 P	F	TBL
120/70-14	55 P	F	TBL
140/60-13	57 P	R	TBL
140/60-14	64 P	R	TBL

5 MOTORCYCLE TIRES

Vee Rubber
PERFORMANCE TIRES

SCOOTER TIRES

SCOOTER TIRES



VRM-348

Size	Load/Speed Index	F/R	TT/TBL
100/90-10 56 L		F,R	TT,TBL



VRM-351

Size	Load/Speed Index	F/R	TT/TBL
3.50-10 59 L		-	TBL
110/70-12 62 P		-	TBL
120/70-12 58 S		-	TBL
130/60-13 60 S		-	TBL
130/70-12 62 S		-	TBL
140/60-13 63 S		-	TBL

STREET TIRES

www.veerubber.co.th



VRM-011

Size	Load/Speed Index	F/R	TT/TBL
2.25-17 39 L		F	TT
2.50-17 43 L		F	TT
2.50-18 45 P		F	TT
2.75-14 35 P		F	TT
2.75-18 48 P		F	TT
3.00-16 47 P		F	TT
3.00-17 48 P		F	TT
3.25-19 54 P		F	TT



VRM-013

Size	Load/Speed Index	F/R	TT/TBL
2.25-17 39 J		R	TT
2.25-19 43 J		R	TT



VRM-014

Size	Load/Speed Index	F/R	TT/TBL
2.50-9 25 D		-	TT
2.50-17 43 J		R	TT

(POSTAL)



VRM-015

Size	Load/Speed Index	F/R	TT/TBL
2.50-17 43 L		R	TT
2.50-18 45 P		R	TT
2.75-14 42 J		R	TT
2.75-16 43 P		R	TT
2.75-17 46 P		R	TT
2.75-18 48 P		R	TT
3.00-16 47 P		R	TT
3.00-17 48 P		R	TT
3.00-18 52 J		R	TT
3.50-18 62 P		R	TT



VRM-018

Size	Load/Speed Index	F/R	TT/TBL
2.25-17 39 J		F	TT
2.75-17 47 P		F	TT
2.75-18 48 J		F	TT



VRM-019

Size	Load/Speed Index	F/R	TT/TBL
2.25-17 39 J		R	TT
2.50-17 43 L		R	TT
2.75-18 48 P		R	TT
3.00-18 52 P		R	TT



VRM-020

Size	Load/Speed Index	F/R	TT/TBL
2.25-14 24 B		F	TT



VRM-022M

Size	Load/Speed Index	F/R	TT/TBL
2 1/2-21 38 J		F	TT
3-18 52 J		R	TT



VRM-054

Size	Load/Speed Index	F/R	TT/TBL
2.00-17 33 J		F,R	TT
2.25-17 39 J		F,R	TT
2.50-17 43 J		F,R	TT
2.50-18 45 L		F,R	TT
2.75-18 48 P		F,R	TT
3.50-18 54 P		F,R	TT



VRM-081

Size	Load/Speed Index	F/R	TT./TBL
2.25-17	39 P	F,R	TT.
2.50-17	43 P	F,R	TT.
2.50-18	45 P	F,R	TT.
3.60-18	51 P	R	TT.
3.60-19	52 P	R	TT.
4.10-18	60 P	R	TT.
70/90-17	43 P	F,R	TT.
80/90-17	44 P	F,R	TT.
80/90-18	45 P	F,R	TT.
90/90-18	51 P	F,R	TT.



VRM-085

«F:R»

Size	Load/Speed Index	F/R	TT./TBL
2.25-17	33 L	F	TT.
70/100-17	40 L	R	TT.



VRM-086

Size	Load/Speed Index	F/R	TT./TBL
2.25-17	39 J	F	TT.
2.50-17	43 J	F,R	TT.
2.50-18	45 L	F,R	TT.
70/100-16	39 J	F,R	TT.
80/100-16	46 P	F,R	TT.
90/90-18	52 P	R	TT./TBL



VRM-087

Size	Load/Speed Index	F/R	TT./TBL
2 1/4-16	38 J	R	TT.
2 1/4-17	39 J	F,R	TT.
2 1/4-18	43 J	R	TT.
2 1/2-14	39 J	F,R	TT.
2 1/2-16	42 J	F,R	TT.
2 1/2-17	43 J	R	TT.
2 1/2-18	44 J	R	TT.
2 3/4-17	46 J	R	TT.
2.00-16	36 J	F	TT.
2.00-17	38 J	F	TT.
80/80-14	43 J	F,R	TT./TBL
90/80-14	59 L	F,R	TBL.



VRM-088

Size	Load/Speed Index	F/R	TT./TBL
2.75-17	42 P	F,R	TT.



VRM-089

Size	Load/Speed Index	F/R	TT./TBL
70/90-17	43 J	F,R	TT.
70/90-18	45 J	F,R	TT.
80/90-16	43 P	F,R	TT./TBL
80/90-18	48 J	F,R	TT.
90/90-16	46 P	F,R	TT.
90/90-18	57 P	F,R	TT.



VRM-093

Size	Load/Speed Index	F/R	TT./TBL
2.00-17	33 J	F	TT.
2.25-17	39 J	F	TT.
70/90-17	39 J	F,R	TT.



VRM-093M

Size	Load/Speed Index	F/R	TT./TBL
2 1/4-16	38 J	F,R	TT.



VRM-094

Size	Load/Speed Index	F/R	TT./TBL
2 3/4-16	43 J	R	TT.
2.25-17	39 L	F	TT.
2.50-17	43 L	R	TT.
3.25-16	56 P	R	TT.



VRM-096

Size	Load/Speed Index	F/R	TT./TBL
2.50-17	43 J	R	TT.



VRM-097

«F:R»

Size	Load/Speed Index	F/R	TT./TBL
2 1/2-16	42 J	F	TT.
2.25-17	39 J	F	TT.
2.50-17	43 J	R	TT.
2.75-17	47 P	R	TT.
2.75/80-16	43 J	F	TT./TBL
3.25/80-16	56 J	R	TT./TBL
80/80-17	47 P	F,R	TT.
80/90-17	47 P	F,R	TT.



VRM-099

«F:R»

Size	Load/Speed Index	F/R	TT./TBL
2 1/4-16	38 J	R	TT.
2 1/4-17	39 J	R	TT./TBL
2 1/2-16	42 J	R	TT./TBL
2 1/2-17	39 J	R	TT.
2 3/4-16	43 J	R	TT.
2 3/4-17	39 J	R	TT./TBL
2.00-17	33 J	F	TT.
2.25-17	38 L	F	TT.
2.50-17	39 J	R	TT.
2.75-16	48 P	R	TT.
3.25-16	56 P	F	TT.



VRM-100

«F:R»

Size	Load/Speed Index	F/R	TT./TBL
2.75-14	43 J	F	TT.
2.75-16	46 L	R	TT.
3.00-14	56 J	R	TT.
3.25-16	56 J	R	TT.



VRM-101

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	39 L	F	TT.
2.50-17	43 L	F	TT.



VRM-103

«F:R»

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	39 L	F	TT.
2.50-17	42 P	R	TT.
2.75-18	48 P	F,R	TT.
3.00-18	52 P	R	TT.
130/90-15	66 S	R	TT.



VRM-106

Size	Load/Speed Index	F/R	TT/TBL
80/90-17	43 P	F,R	TT.
80/90-18	45 P	F,R	TT.
100/90-18	56 P	R	TT./TBL.



VRM-114

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	39 J	F	TT.



VRM-115

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	39 J	F,R	TT.
2.50-17	43 L	F,R	TT.
2.50-18	45 P	F,R	TT.
2.75-18	48 P	F,R	TT.



VRM-125
PRO-200 V-GRIP

Size	Load/Speed Index	F/R	TT/TBL
2.00-17	33 P	F	TT.
2.25-17	39 P	F,R	TT.
2.50-17	43 P	F,R	TT.
2.50-18	45 P	F,R	TT.
2.75-17	47 P	R	TT.
2.75-18	48 P	R	TT.



VRM-126
PRO-200 EAGLE

Size	Load/Speed Index	F/R	TT/TBL
2.00-17	27 L	F	TT.
2.25-17	39 P	F,R	TT.
2.50-17	43 P	F,R	TT.
2.50-18	45 L	F,R	TT.
2.75-17	41 P	R	TT.
2.75-18	48 P	R	TT.
80/90-17	44 P		TT.



VRM-129

Size	Load/Speed Index	F/R	TT/TBL
2 1/4-17	39 J	F,R	TT.
2 1/4-18	43 J	F,R	TT.
2 1/2-17	43 J	F,R	TT.



VRM-132

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	39 P	F,R	TT.
2.50-16	41 L	F,R	TT.
2.50-17	43 P	F,R	TT.
2.50-18	45 P	F,R	TT.



VRM-134

Size	Load/Speed Index	F/R	TT/TBL
100/80-17	52 S	F	TT./TBL.
100/90-18	52 S	F	TBL.
130/70-17	62 S	R	TT.
130/70-17	62 T	R	TT./TBL.
130/70-17	62 H	-	TBL.
130/80-17	62 T	R	TBL.



VRM-158

Size	Load/Speed Index	F/R	TT/TBL
2.75-18	47 P	F,R	TT.
3.00-17	47 P	F	TT.
90/90-19	52 S		TT.



VRM-159

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	38 P	-	TT.
2.50-16	41 P	-	TT.
2.50-17	43 P	-	TT.
2.50-18	45 P	-	TT.
2.75-16	46 P	-	TT.
2.75-17	47 P	-	TT.
3.50-16	66 P	R	TT.
4.10-18	60 R	F,R	TT.
60/100-17	33 L	F,R	TT.
80/90-17	44 P	-	TT.
80/100-14	49 L	F,R	TT.
90/90-18	57 P	F,R	TT.



VRM-160

Size	Load/Speed Index	F/R	TT/TBL
2.75-18	48 P	F	TT./TBL.
3.00-18	47 P	F	TT.
80/100-18	47 S	-	TT.
90/90-18	57 P	F	TT.
100/90-18	52 S	R	TT./TBL.



VRM-165
TIGER ROAD

Size	Load/Speed Index	F/R	TT/TBL
50/45-17	22 P	F,R	TT.
60/45-17	29 P	F,R	TT.
70/45-17	39 P	F,R	TT.



VRM-167F

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	39 P	F	TT.



VRM-168R

Size	Load/Speed Index	F/R	TT/TBL
2.50-17	43 P	R	TT.



VRM-177

Size	Load/Speed Index	F/R	TT/TBL
2.50-17	43 P	F,R	TT.



VRM-178

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	39 P	F	TT



VRM-185

Size	Load/Speed Index	F/R	TT/TBL
2.75-16	46 M	F,R	TT



VRM-186

Size	Load/Speed Index	F/R	TT/TBL
2 3/4-16	36 B	-	TT



VRM-191

Size	Load/Speed Index	F/R	TT/TBL
90/90-19	52 T	F	TBL
100/90-19	57 T	F	TBL
100/90H18	56 H	F	TBL



VRM-192

Size	Load/Speed Index	F/R	TT/TBL
110/90H18	61 H	R	TBL
120/90-16	63 H	R	TBL
120/90H18	65 H	R	TBL
130/90-16	67 T	R	TBL
130/90H17	68 H	R	TBL
130/90H18	69 H	R	TBL
140/90H15	70 H	R	TBL
140/90H16	71 H	R	TBL



VRM-195

Size	Load/Speed Index	F/R	TT/TBL
120/90-16	63 S	R	TT/TBL
130/90-15	66 S	R	TT/TBL



VRM-197

Size	Load/Speed Index	F/R	TT/TBL
90/80-5	-	-	TT



VRM-201

Size	Load/Speed Index	F/R	TT/TBL
2 1/2-16	42 P	F,R	TT/TBL
2 3/4-16	46 P	F,R	TT/TBL
2 3/4-17	47 P	-	TBL



VRM-204

Size	Load/Speed Index	F/R	TT/TBL
2.50-17	43 J	F,R	TT



VRM-207

Size	Load/Speed Index	F/R	TT/TBL
2.50-17	38 L	F,R	TT
2.75-17	41 P	F,R	TT
3.00-18	47 L	F,R	TT



VRM-212

Size	Load/Speed Index	F/R	TT/TBL
100/90-19	57 T	F	TT/TBL
130/90-16	67 T	R	TT/TBL



VRM-213

Size	Load/Speed Index	F/R	TT/TBL
5.4-6	-	-	TT



VRM-214

Size	Load/Speed Index	F/R	TT/TBL
2.75-17	47 P	F,R	TT
2.75-18	-	F,R	TT
3.00-16	-	F,R	TT
3.00-17	-	F,R	TT
3.00-18	-	F,R	TT



VRM-217

Size	Load/Speed Index	F/R	TT/TBL
90/65 R 6.5	-	F	TBL
110/50 R 6.5	-	R	TBL



VRM-223

Size	Load/Speed Index	F/R	TT/TBL
50/45-17	22 P	F,R	TT
60/45-17	29 P	F,R	TT
70/45-17	39 P	F,R	TT
80/45-17	43 P	F,R	TT



VRM-224

Size	Load/Speed Index	F/R	TT/TBL
90/80-17	46 S	F	TBL
100/80-16	50 T	F	TBL
110/70-16	52 S, 52 P	F	TBL
120/70-15	56 P	F	TBL
120/80-16	60 S	R	TBL
120/80-17	61 S	R	TBL
130/70-16	61 P	R	TBL
130/80-15	63 P	R	TBL
130/80-16	64 T	R	TBL
140/70-16	65 S	R	TBL



VRM-227

Size	Load/Speed Index	F/R	TT/TBL
80/90-17	44 P	F,R	TBL
110/90-16	59 P	F,R	TT/TBL



VRM-231

Size	Load/Speed Index	F/R	TT/TBL
90/90-17	49 P	F	TT

STREET TIRES



VRM-232

Size	Load/Speed Index	F/R	TT/TBL
130/90-15	66 P	R	TT



VRM-233

Size	Load/Speed Index	F/R	TT/TBL
3.60-18	51 H	-	TBL
80/90-18	45 P	-	TBL



VRM-234

«F.R»

Size	Load/Speed Index	F/R	TT/TBL
60/100-17	33 P	F	TT
70/90-17	38 P	R	TT



VRM-241

Size	Load/Speed Index	F/R	TT/TBL
60/90-17	30 P	F,R	TT
70/90-17	38 P	F,R	TT



VRM-244

Size	Load/Speed Index	F/R	TT/TBL
70/90-17	38 P	-	TT
80/90-17	44 P	-	TT



VRM-245

Size	Load/Speed Index	F/R	TT/TBL
50/45-17	22 P	F,R	TT
60/45-17	29 P	F,R	TT
70/45-17	39 P	F,R	TT



VRM-249

Size	Load/Speed Index	F/R	TT/TBL
80/100-18	47 P	F,R	TBL
100/80-17	52 H	F,R	TBL
110/70-17	54 H	-	TBL
110/80-17	57 H	F,R	TBL
120/70-17	58 H	F	TBL
130/60-17	59 H	R	TBL
130/70-17	62 H	-	TBL
130/80-17	65 H	-	TBL



VRM-250

«F.R»

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	33 P	F	TT
2.50-17	38 P	R	TT
2.75-18	42 P	F	TT
60/100-17	33 P	F,R	TT
80/100-14	49 P	F,R	TT
90/90-18	57 P	R	TT



VRM-258

Size	Load/Speed Index	F/R	TT/TBL
50/80-17	22 P	-	TT
60/80-17	27 P	-	TT/TBL
70/80-17	35 P	-	TT/TBL
80/80-17	41 P	-	TT/TBL



VRM-262

Size	Load/Speed Index	F/R	TT/TBL
2 3/4-16	-	-	TBL

RACING RADIAL



VRM-263

Size	Load/Speed Index	F/R	TT/TBL
60/100-17	33 L	-	TT
80/100-14	49 L	-	TT
90/90-18	57 P	-	TT



VRM-265

Size	Load/Speed Index	F/R	TT/TBL
45/90-17	19 S	-	TT
50/80-17	22 P	-	TT
50/100-14	24 P	-	TT
50/100-17	22 P	-	TT
60/80-17	27 P	-	TT
60/90-14	32 P	-	TT
60/90-17	30 P	-	TT
70/90-17	38 P	-	TT/TBL



VRM-277

Size	Load/Speed Index	F/R	TT/TBL
100/70-17	49 H	-	TBL



VRM-266

Size	Load/Speed Index	F/R	TT/TBL
90/65 R6.5	-	F	TBL
95/70 R17	-	F	TBL
110/50 R6.5	-	R	TBL
115/70 R17	-	R	TBL
125/55 R17	-	R	TBL



VRM-278

Size	Load/Speed Index	F/R	TT/TBL
110/70R1754	H	-	TBL



VRM-279F

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	33 L	F	TT.



VRM-279R

Size	Load/Speed Index	F/R	TT/TBL
2.50-17	38 L	R	TT.



VRM-280

Size	Load/Speed Index	F/R	TT/TBL
60/80-17	27 P	-	TT.
70/80-17	35 P	-	TT.
80/80-17	41 P	-	TT.
90/80-17	46 P	-	TT.



VRM-282

Size	Load/Speed Index	F/R	TT/TBL
50/80-17	22 P	-	TT.
60/80-17	27 P	-	TT.
70/80-17	35 P	-	TT.
70/90-14	34 P	-	TT./TBL.
70/90-16	36 P	F	TT./TBL.
80/90-14	40 P	-	TT./TBL.
80/90-16	43 P	-	TT./TBL.



VRM-283F

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	33 L	F	TT.
90/80-16	52 P	F	TBL.



VRM-283R

Size	Load/Speed Index	F/R	TT/TBL
2.50-17	38 L	R	TT.
100/80-16	56 P	R	TBL.



VRM-285

Size	Load/Speed Index	F/R	TT/TBL
70/80-17	35 P	-	TBL.



VRM-286

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	33 L	-	TT.
2.50-17	38 L	-	TT.
2.50-18	45 L	-	TT.



VRM-291

Size	Load/Speed Index	F/R	TT/TBL
3.00-17	45 P	-	TT.



VRM-292
GEKKO STAR

Size	Load/Speed Index	F/R	TT/TBL
70/90-17	38 P	-	TT.
80/90-17	44 P	-	TT.
90/80-17	46 P	-	TBL.



VRM-294

Size	Load/Speed Index	F/R	TT/TBL
80/90-21	48 S	F	TBL.
100/80-17	52 S	-	TT./TBL.
110/80-18	58 S	R	TBL.
130/70-17	62 S	-	TT./TBL.



VRM-295F

Size	Load/Speed Index	F/R	TT/TBL
60/100-17	33 P	F	TT.



VRM-295R

Size	Load/Speed Index	F/R	TT/TBL
70/90-17	43 P	R	TT.



VRM-299

«F.R»

Size	Load/Speed Index	F/R	TT/TBL
90/100-18	54 S	F	TBL.
120/90-16	63 S	R	TBL.



VRM-304

Size	Load/Speed Index	F/R	TT/TBL
60/100-17	33 P	F	TT.
80/90-17	44 P	R	TT.



VRM-305

Size	Load/Speed Index	F/R	TT/TBL
70/90-17	38 P	-	TBL.
80/90-17	44 P	-	TBL.



VRM-310

Size	Load/Speed Index	F/R	TT/TBL
50/80-17	22 P	-	TT.
60/80-17	27 P	-	TT.
70/80-17	35 P	-	TT.



VRM-313

Size	Load/Speed Index	F/R	TT/TBL
90/65 R 6.5	-	F	TBL



VRM-314

Size	Load/Speed Index	F/R	TT/TBL
110/50 R 6.5	-	R	TBL



VRM-316

Size	Load/Speed Index	F/R	TT/TBL
50/100-17	22 P	-	TT
60/90-17	30 P	-	TT
70/90-17	38 P	-	TT



VRM-317

Size	Load/Speed Index	F/R	TT/TBL
70/90-17	38 S	F/R	TT
80/90-17	44 S	F/R	TT
90/80-17	46 S	F/R	TT
100/70 R17	49 H	-	TBL



VRM-320

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	33 L	-	TT
2.50-17	38 L	-	TT
2.75-14	41 P	-	TT



VRM-322F

Size	Load/Speed Index	F/R	TT/TBL
70/90-17	38 P	F	TBL



VRM-322R

Size	Load/Speed Index	F/R	TT/TBL
80/90-17	44 P	R	TBL



**VRM-329
GEKKO STAR**

Size	Load/Speed Index	F/R	TT/TBL
45/90-17	19 S	-	TT
50/100-17	22 P	-	TT
60/90-14	32 P	-	TT
60/90-17	30 P	-	TT
70/90-14	34 P	-	TT
70/90-17	38 P	-	TT
80/90-14	40 P	-	TT
80/90-17	44 P	-	TT



VRM-333F

Size	Load/Speed Index	F/R	TT/TBL
2.50-17	38 L	F	TT



VRM-333R

Size	Load/Speed Index	F/R	TT/TBL
2.75-17	41 P	R	TT



VRM-338

Size	Load/Speed Index	F/R	TT/TBL
70/90-14	34 P	F	TT
80/90-14	40 P	F	TT
80/90-14	46 P	R	TT
90/90-14	46 P	R	TT



VRM-342

Size	Load/Speed Index	F/R	TT/TBL
100/80-17	52 S	F	TBL
130/70-17	62 S	R	TBL



VRM-343

Size	Load/Speed Index	F/R	TT/TBL
2 1/4-16	26 B	F/R	TT



VRM-347

Size	Load/Speed Index	F/R	TT/TBL
70/80-17	35 P	F	TT
80/80-17	41 P	R	TT



VRM-350

Size	Load/Speed Index	F/R	TT/TBL
90/65 R 6.5	-	-	TBL
110/50 R 6.5	-	-	TBL



VRM-351

Size	Load/Speed Index	F/R	TT/TBL
100/80-17	52 S	F	TBL
130/70-17	62 S	R	TBL



VRM-352

Size	Load/Speed Index	F/R	TT/TBL
2.75-14	41 P	-	TT



VRM-355

Size	Load/Speed Index	F/R	TT/TBL
80/90-16	43 P	R	TBL

STREET TIRES



VRM-356

Size	Load/Speed Index	F/R	TT/TBL
70/90-16	36 P	F	TBL



VRM-357

«F.R»

Size	Load/Speed Index	F/R	TT/TBL
60/100-17	33 P	F	TT
70/90-17	43 P	R	TT



VRM-358

«F.R»

Size	Load/Speed Index	F/R	TT/TBL
60/100-17	33 P	F	TT
70/90-17	43 P	R	TT



VRM-359

Size	Load/Speed Index	F/R	TT/TBL
2.50-17	38 P	-	TT
2.75-17	41P	-	TT
2.75-18	42P	-	TT
60/100-17	33 P	-	TT
80/100-14	49 P	-	TT
90/90-18	57 P	-	TT
110/80-14	53 P	-	TT



VRM-360
GEKKO STAR

Size	Load/Speed Index	F/R	TT/TBL
45/90-17	19 S	-	TT
50/100-17	22 S	-	TT
60/90-17	30 P	-	TT
70/80-17	35 P	-	TT
80/80-17	41 P	-	TT



VRM-361

Size	Load/Speed Index	F/R	TT/TBL
100/90-19	57 H	-	TT/TBL
170/80	B1583 H	-	TBL



VRM-362
GEKKO STAR

Size	Load/Speed Index	F/R	TT/TBL
45/90-17	19 S	-	TT
50/100-17	22 S	-	TT
60/90-17	30 S	-	TT
70/80-17	-	-	TT
80/80-17	-	-	TT

STREET TIRES



VRM-021

Size	Load/Speed Index	F/R	TT/TBL
2.50-17	43 M	F,R	TT.
2.75-18	48 P	F,R	TT.
2.75-19	49 P	F	TT.
2.75-21	50 P	F	TT.
3.00-14	40 R	F,R	TT.
3.00-18	52 P	R	TT.
3.25-18	59 R	R	TT.
4.00-18	64 P	R	TT.



VRM-022

Size	Load/Speed Index	F/R	TT/TBL
2.75-14	35 P	F,R	TT.
2.75-17	47 R	R	TT.
2.75-18	42 R	-	TT.
2.75-19	49 R	F	TT.
2.75-21	51 R	F	TT.
3.00-16	52 R	R	TT.
3.00-17	48 R	R	TT.
3.00-18	52 R	R	TT.
3.00-21	51 R	F	TT.
3.25-16	56 R	R	TT.
3.25-17	60 R	R	TT.
4.00-18	64 R	R	TT.
4.60-17	62 R	R	TT.



VRM-022B

Size	Load/Speed Index	F/R	TT/TBL
3.50-16	58 R	R	TT.
3.50-18	62 R	R	TT.
4.10-18	62 R	R	TT.



VRM-122

Size	Load/Speed Index	F/R	TT/TBL
80/90-21	48 P	F	TT.
90/90-19	52 J	-	TT.
90/90-21	54 P	F	TT.
110/80-17	57 J	-	TT.
110/80-18	62 P	R	TT.
120/80-18	62 P	R	TT.



VRM-156

Size	Load/Speed Index	F/R	TT/TBL
2.75-18	42 R	-	TT.
2.75-21	45 P	-	TT.
3.00-21	51 R	-	TT.
3.50-18	62 R	-	TT.
4.10-18(156)	62 R	-	TT.
4.60-17	62 R	-	TT.
60/100-17	33 P	-	TT.
80/100-14	49 P	-	TT.
90/90-18	51 R	-	TT.



VRM-206

Size	Load/Speed Index	F/R	TT/TBL
2.75-21	45 P	F	TT.
3.00-21	51 P	F	TT.
4.00-18	64 P	R	TT.
4.10-18	60 P	R	TT.
4.60-17	62 P	R	TT.



«F,R»

Size	Load/Speed Index	F/R	TT/TBL
2.75-21	45 P	F	TT.
4.10-18	59 P	R	TT.
90/90-21	54 H	F	TBL.
90/90-21	54 P	F	TT.
100/90-18	56 P	F	TT.
130/80-17	65 H	R	TBL.
130/80-17	65 P	R	TT.



VRM-219

Size	Load/Speed Index	F/R	TT/TBL
2.50-16	36 L	F,R	TT.
2.75-14	35 L	-	TT.

TRIAL TIRES



VRM-221

Size	Load/Speed Index	F/R	TT/TBL
2.75-21	45 P	F	TT.
3.00-21	51 P	F	TT.
4.10-18	60 P	R	TT.
4.60-18	63 P	R	TT.



VRM-335F

Size	Load/Speed Index	F/R	TT/TBL
90/90-21	54 R	F	TT.



VRM-335R

Size	Load/Speed Index	F/R	TT/TBL
110/80-18	58 R	R	TT.



VRM-308F

Size	Load/Speed Index	F/R	TT/TBL
2.50-19	41 L	F	TT.
2.75-21	45 L	F	TT.



VRM-308R

Size	Load/Speed Index	F/R	TT/TBL
3.50 R17	54 L	R	TBL.
4.00 R18	64 L	R	TBL.

MOTOCROSS TIRES



VRM-031

Size	Load/Speed Index	F/R	TT/TBL
2.50-17	43 M	R	TT.
2.75-21	52 P	R	TT.
3.50-18	62 P	R	TT.



VRM-109

«F:R»

Size	Load/Speed Index	F/R	TT/TBL
3.00-21	51 R	F	TT.
3.50-18	62 P	R	TT.
4.00-18	64 P	R	TT.
4.10-14	69 M	R	TT.
4.50-17	67 P	R	TT.
4.50-18	72 P	R	TT.
4.60-17	62 P	R	TT.
110/90-1962 M		F	TT.



VRM-140

Size	Load/Speed Index	F/R	TT/TBL
2.50-10	33 J	F	TT.
70/100-1740 M		F	TT.
70/100-1942 M		R	TT.
80/100-1241 M		R	TT.
80/100-1449 M		R	TT.
80/100-2151 M		F	TT.
90/100-1651 M		R	TT.
100/90-1957 M		R	TT.
100/100-1859 M		R	TT.
110/90-1962 M		R	TT.
120/90-1966 M		R	TT.
110/100-1864 M		R	TT.
120/100-1868 M		R	TT.



VRM-147

Size	Load/Speed Index	F/R	TT/TBL
4.10-17	67 R	R	TT.
90/90-21	54 R	F	TT.
120/90-18 65 L		R	TT.
130/90-17 68 P		R	TT.
130/90-18 69 R		R	TT.
140/80-18 70 R		R	TT.



VRM-174

Size	Load/Speed Index	F/R	TT/TBL
2.50-10	-	-	TT.
2.50-14	-	-	TT.
2.50-15	-	-	TT.
2.50-18	-	-	TT.
2.75-10	37 J	-	TT.
2.75-18	-	-	TT.
3.00-10	-	-	TT.
3.00-12	-	-	TT.



VRM-175

Size	Load/Speed Index	F/R	TT/TBL
120/80-19 63 R		R	TT.
120/90-18 65 M		R	TT.
140/80-18 70 R		R	TT.



VRM-200

«F:R»

Size	Load/Speed Index	F/R	TT/TBL
80/100-2151 M		F	TT.
100/90-1957 M		R	TT.
100/100-1859 M		R	TT.
110/90-1962 M		R	TT.
110/100-1864 M		R	TT.
120/90-1966 M		R	TT.



VRM-211

«F:R»

Size	Load/Speed Index	F/R	TT/TBL
90/90-21	54 R	F	TT.
110/80-19 59 R		R	TT.
120/90-18 65 R		R	TT.



VRM-211B

Size	Load/Speed Index	F/R	TT/TBL
140/80-18 70 R		R	TT.



VRM-229

«F:R»

Size	Load/Speed Index	F/R	TT/TBL
80/90-18 45 M		F	TT.
80/100-2151 M		F	TT.
90/90-18 51 M		R	TT.
100/90-1957 M		R	TT.
100/100-1859 M		R	TT.
110/90-1962 M		R	TT.
110/100-1864 M		R	TT.



VRM-236

Size	Load/Speed Index	F/R	TT/TBL
3.00-16	360 LBS	-	TT.



VRM-237

Size	Load/Speed Index	F/R	TT/TBL
2.50-8	220 LBS	-	TT.



VRM-240

Size	Load/Speed Index	F/R	TT/TBL
90/100-2056 M		-	TT.



VRM-243

Size	Load/Speed Index	F/R	TT/TBL
110/100-1864 M		R	TT.
110/90-19585 LBSF			TT.

MOTOCROSS TIRES

ENDURO TIRES

www.veerubber.co.th



VRM-270

Size	Load/Speed Index	F/R	TT/TBL
2.50-10	32 J	-	TT.
2.50-12	42 J	-	TT.



VRM-271

Size	Load/Speed Index	F/R	TT/TBL
2.75-10	37 J	-	TT.



VRM-272

Size	Load/Speed Index	F/R	TT/TBL
60/100-1429 M	-	-	TT.



VRM-163

Size	Load/Speed Index	F/R	TT/TBL
2.75-21	45 P	F	TT.
4.10-18	59 P	R	TT.
90/90-21	54 S	F	TT./TBL.
90/100-19	55 P	F	TT./TBL.
120/90-16	63 P	R	TT./TBL.
120/90-17	64 T	R	TT./TBL.
120/90-18	62 T	R	TBL.
130/80-17	65 S	R	TBL.
140/80-17	69 S	R	TBL.



VRM-251

Size	Load/Speed Index	F/R	TT/TBL
5.10-17	-	-	TT.
5.10-18	-	-	TT.



VRM-274

Size	Load/Speed Index	F/R	TT/TBL
130/80-18	66 P	-	TT.



VRM-273

Size	Load/Speed Index	F/R	TT/TBL
80/100-1241 M	-	-	TT.



VRM-276

Size	Load/Speed Index	F/R	TT/TBL
80/100-2151 M	-	-	TT.



VRM-300F

Size	Load/Speed Index	F/R	TT/TBL
70/100-1740 M	F	TT.	
80/100-2151 M	F	TT.	



VRM-275

Size	Load/Speed Index	F/R	TT/TBL
180/80-14	78 P	-	TT.



VRM-298

Size	Load/Speed Index	F/R	TT/TBL
90/100-19	55 P	F	TBL.
120/90-16	63 P	R	TBL.



VRM-303R

Size	Load/Speed Index	F/R	TT/TBL
140/80-18	73 R	R	TT.



VRM-300R

Size	Load/Speed Index	F/R	TT/TBL
90/100-1449 M	R	TT.	
100/100-1859 M	R	TT.	
110/100-1864 M	R	TT.	
100/90-1957 M	R	TT.	
110/90-1962 M	R	TT.	



VRM-340F

Size	Load/Speed Index	F/R	TT/TBL
90/90-21	54 M	F	TT.

(STEP KNOB)



VRM-340R

Size	Load/Speed Index	F/R	TT/TBL
120/100-1868 M	R	TT.	



VRM-307

Size	Load/Speed Index	F/R	TT/TBL
90/90-19	52 P	F	TT./TBL.
110/90-17	60 P	R	TT./TBL.



VRM-354

Size	Load/Speed Index	F/R	TT/TBL
80/100-19	49 P	F	TBL.
120/90-16	63 P	R	TBL.

«F:R»

SNOW TIRES



VRM-325
STUD LESS

Size	Load/Speed Index	F/R	TT/TBL
2.25-17	33 P	F,R	TT
2.50-17	38 P	F,R	TT
2.75-14 4PR35 P		F,R	TT
2.75-14 6PR41 P		-	TT



VRM-331
STUD LESS

Size	Load/Speed Index	F/R	TT/TBL
2.75-14	35 P	F	TT
2.75-14	41 P	R	TT

«F,R»



VRM-339
STUD LESS

Size	Load/Speed Index	F/R	TT/TBL
2.75-14	41 P	F,R	TT



VRM-346

Size	Load/Speed Index	F/R	TT/TBL
3.00-10	-	F,R	TBL



VRM-349

Size	Load/Speed Index	F/R	TT/TBL
2.75-14	41 P	F,R	TT



VRM-353

Size	Load/Speed Index	F/R	TT/TBL
2.75-14	41 P	F,R	TT
80/80-16	46 J	F,R	TBL
90/80-16	52 J	F,R	TBL
110/80-14	59 J	F,R	TBL

TUBES

www.veerubber.co.th

VALVE
SIZE



- 90/80-5
- 200/225-14, 225-14, 60/100-14
- 200/225-16, 225/250-16
- 200/225-17, 60/100-17
- 200/225-19
- 2 1/2-2 1/4-16/17, 200/225-16/17, 70/90-16
- 2 1/4-2 1/2-17, 2 1/4-17, 225-17, 225/250-17, 70/90-17, 70/80-17
- 2 1/4-2 1/2-18, 2 1/4-18, 225/250-18, 70/90-18
- 2 1/4-19, 225/250-19, 70/100-19
- 250-8
- 250-10, 275-10, 250/275-10
- 250-12, 250/275-12
- 250/275-14, 80/80-14
- 250/275-15, 250-15
- 2 1/2-2 3/4-16, 2 3/4-16, 250/275-16, 275-16, 275/300-16, 275/80-16, 325/80-16, 80/90-16, 90/80-16
- 2 3/4-17, 250-17, 250/275-17, 80/90-17, 8/80-17, 70/100-17
- 250-18, 250/275-18, 70/100-18, 80/80-18, 80/90-18
- 2 1/2-21, 250/275-21
- 275-8, 300-8, 275/300-8
- 275/300-10
- 275/300-12, 80/100-12
- 275/300-14, 410-14, 80/100-14, 300/325-14, 350/410-14, 90/100-14, 100/90-14, 110/80-14, 90/80-14
- 275/300-17, 275-17, 300-17, 300/325-17, 100/80-17, 90/90-17
- 275/300-18, 275-18, 300-18, 90/90-18
- 275/300-9, 275-9
- 250/275-19, 275-19, 275/300-19
- 275/300-21, 80/100-21, 90/90-21, 80/90-21, 26-2 1/2
- 300/350-10, 90/90-10, 100/80-10, 100/90-10
- 300-12, 300/325-12, 300/325/350-12, 110/70-12
- 300-16, 300/325-16, 90/90-16, 90/100-16, 3 1/4-16
- 300-18, 300/325-18, 90/90-18, 100/80-18, 100/90-18
- 300/325-19, 90/90-19, 90/100-19
- 300/325-21, 90/90-21, 90/100-21
- 320/350-16, 110/90-16, 120/80-16, 120/90-16
- 325/350-17, 325-17, 130/70-17, 110/80-17
- 325/350-18, 325/350/410-18, 410-18, 110/80-18
- 325/350-19, 325/350/410-19, 100/90-19
- 350-8, 350/400-8
- 350/400-10, 120/130/90-10, 120/130/70-10
- 350/400-12, 400-12, 120/130/70-12
- 350/400-13, 130/60-13, 130/70-13
- 350/400-17, 120/80-17, 130/80-17, 130/90-17, 120/90-17
- 350/400-18, 100/100-18, 110/100-18, 110/120/90-18, 130/80-18
- 350/400-19, 110/90-19, 120/80-19, 130/70-19
- 400/450-18, 400/450/475-18, 400-18, 130/90-18, 140/80-18
- 400/450-19, 120/90-19, 130/90-19
- 400/450-10
- 450-12, 410/450-12, 110/90-12
- 450/510-15, 130/140/90-15 130/90-15
- 450/510-16, 450/510/550-16, 120/130/90-16
- 450/510-17, 450/510/550-17, 460-17, 450-17
- 13 x 5.00-6
- 500/510-16
- 500/550-18, 140/90-18
- 120/100-18



TUBES

MAXI SCOOTER

DIMENSION	INDEX	PATTERN	TT./TBL
3.50-10	51 P	VRM-228	TT
100/80-10	52 S	VRM-134	TBL
	53 L	VRM-144	TBL
	56 L	VRM-144	TBL
	53 L	VRM-217	TBL
100/90-10	56 P	VRM-054	TT./TBL
	56 L	VRM-090	TT./TBL
	56 L	VRM-134	TT./TBL
110/70-11	45 L	VRM-217	TBL
110/70-12	47 L, 62 P	VRM-155	TBL
110/90-10	66 L	VRM-119B	TBL
110/90-12	64 M	VRM-112	TBL
	64 P	VRM-119B	TBL
	64 L	VRM-134	TBL
	64 S	VRM-134	TBL
	64 L	VRM-155	TBL
110/90-13	56 P	VRM-119B	TBL
	56 L	VRM-155	TBL
	60 L	VRM-184	TBL
	60 S	VRM-184	TBL
110/100-12	67 L	VRM-119B	TBL
115/80-13	52 M	VRM-162	TBL
120/70-10	54 L	VRM-144	TBL
	54 L	VRM-217	TBL
120/70-11	50 M	VRM-133	TBL
	50 L	VRM-134	TBL
120/70-12	60 P	VRM-119C	TBL
	51 L	VRM-134	TBL
	51 L, 51 S	VRM-155	TBL
	58 P	VRM-155	TBL
	51 L	VRM-184	TBL
	58 S	VRM-281	TBL
	58 P	VRM-319F	TBL
120/70-13	53 P	VRM-119C	TBL
	53 L	VRM-184	TBL
120/70-14	61 H	VRM-281	TBL
	55 P	VRM-319F	TBL
120/70-15	56 H	VRM-281	TBL
120/80-12	65 M	VRM-133	TBL
120/80-14	58 S	VRM-119B	TBL
120/90-10	66 L	VRM-119B	TBL
	66 L	VRM-119C	TBL
	66 L	VRM-133	TBL
	66 M	VRM-137	TBL
	57 L	VRM-318	TBL
130/60-13	60 P	VRM-119C	TBL
	61 L	VRM-184	TBL
	60 H	VRM-281	TBL
130/70-11	60 L	VRM-134	TBL
130/70-12	60 P, 62 P	VRM-119C	TBL
	56 L	VRM-134	TBL
	62 L	VRM-134	TBL
	56 L	VRM-155	TBL
	56 S	VRM-155	TBL
	61 L	VRM-184	TBL
	62 S	VRM-281	TBL
	62 P	VRM-319R	TBL

DIMENSION	INDEX	PATTERN	TT./TBL
130/70-13	63 P	VRM-119C	TBL
	57 L	VRM-155	TBL
	60 L	VRM-184	TBL
	60 S	VRM-184	TBL
130/90-10	61 L	VRM-119B	TT./TBL
	70 L	VRM-119C	TBL
	70 L	VRM-133	TBL
	66 M	VRM-137	TBL
140/60-12	62 L	VRM-119C	TBL
	56 M	VRM-134	TBL
140/60-13	57 L	VRM-184	TBL
140/60-14	64 H	VRM-281	TBL
	64 S	VRM-319R	TBL
140/70-12	65 P	VRM-119C	TBL
	60 L	VRM-155	TBL
	64 S	VRM-281	TBL
140/70-13	62 M	VRM-162	TBL
140/70-14	68 H	VRM-281	TBL
150/70-12	64 S	VRM-119C	TBL
150/80-10	65 L	VRM-318	TBL

SCOOTER TIRES

DIMENSION	INDEX	PATTERN	TT./TBL
2.50-9	25 D	VRM-014	TT
2.50-10	39 J	VRM-018	TT
2.75-10	37 J	VRM-052	TT
	40 J	VRM-119B	TT
3.00-8	37 J	VRM-113	TT
3.00-10	42 J	VRM-054	TT./TBL
	42 J	VRM-081	TT
3.00-10	42 J	VRM-099	TT./TBL
	42 J	VRM-134	TT./TBL
	42 J	VRM-146	TBL
3.00-12	43 J	VRM-094	TT
	47 J	VRM-220	TT
3.50-8	46 J	VRM-051	TT
	45 J	VRM-108	TT
	45 J	VRM-164	TT
3.50-10	59 J	VRM-054	TT./TBL
	56 J	VRM-099	TT./TBL
	56 J	VRM-134	TT./TBL
	51 J	VRM-144	TT./TBL
	51 J	VRM-146	TBL
	56 J	VRM-146	TBL
	51 J	VRM-219	TT
4.00-8	55 J	VRM-108	TT
4.00-10	74 J	VRM-138	TT
4.00-12	77 J	VRM-138	TT
4.50-10	76 J	VRM-138	TT
70/90-16	42 J	VRM-144	TT./TBL
80/80-16	46 J	VRM-144	TBL
80/80-16 (POSTAL)	46 J	VRM-144	TBL
80/90-10	44 J	VRM-146	TBL
80/100-10	38 J	VRM-146	TBL
90/80-16	52 J	VRM-144	TT./TBL

DIMENSION	INDEX	PATTERN	TT./TBL
90/90-10	50 J	VRM-100	TT./TBL
	50 J	VRM-116	TT./TBL
	50 J	VRM-133	TBL
	50 J	VRM-134	TT./TBL
	50 J	VRM-146	TBL
90/90-12	44 J	VRM-297F	TBL
90/100-10	53 J	VRM-146	TBL
100/80-10	56 J	VRM-100	TT./TBL
	56 J	VRM-116	TT./TBL
	56 J	VRM-119B	TT./TBL
	52 J	VRM-134	TBL
	56 J	VRM-134	TBL
	53 J	VRM-146	TBL
100/90-10	56 J	VRM-098	TT./TBL
	56 J	VRM-133	TBL
	61 J	VRM-139	TT
	56 J	VRM-146	TBL
	56 L	VRM-348	TT./TBL
110/70-12	62 P	VRM-351	TBL
110/80-10	58 J	VRM-133	TBL
	58 J	VRM-134	TBL
110/80-14	59 J	VRM-144	TBL
110/80-14 (POSTAL)	59 J	VRM-144	TBL
110/90-10	61 J	VRM-133	TBL
	51 J	VRM-279F	TBL
110/90-12	-	VRM-140	TBL
120/70-12	58 J	VRM-100	TT./TBL
	51 L	VRM-139	TBL
	58 S	VRM-351	TBL
120/70-13	53 P	VRM-342	TBL
120/70-14	55 P	VRM-342	TBL
120/80-14	58 S	VRM-119B	TBL
120/90-10	56 J	VRM-054	TT
	56 J	VRM-112	TT./TBL
	56 J	VRM-119B	TT./TBL
	56 J	VRM-133	TBL
	-	VRM-140	TBL
130/60-13	53 J	VRM-119B	TBL
	55 J	VRM-119B	TBL
	55 J	VRM-133	TBL
	60 S	VRM-351	TBL
130/70-10	62 J	VRM-134	TBL
130/70-12	62 J	VRM-100	TT./TBL
	61 J	VRM-133	TBL
	62 S	VRM-351	TBL
130/70-13	57 J	VRM-162	TBL
130/80-12	69 J	VRM-133	TBL
130/90-10	61 J	VRM-112	TT./TBL
	61 J	VRM-119B	TBL
	61 J	VRM-133	TBL
140/60-13	57 P	VRM-342	TBL
140/60-13	63 S	VRM-351	TBL
140/60-14	64 P	VRM-342	TBL
140/70-12	65 L	VRM-139	TBL

MOPED TIRES

DIMENSION	INDEX	PATTERN	TT./TBL
2 1/4-16	38 J	VRM-087	TT
	38 J	VRM-093M	TT
	38 J	VRM-099	TT
2 1/4-16	26 B	VRM-343	TT
2 1/4-17	39 J	VRM-087	TT
	39 J	VRM-099	TT./TBL
	39 J	VRM-129	TT
2 1/4-18	43 J	VRM-087	TT
	43 J	VRM-129	TT
2 1/2-14	39 J	VRM-087	TT
2 1/2-16	42 J	VRM-087	TT
2 1/2-16	42 J	VRM-097	TT
	42 P	VRM-201	TT./TBL
2 1/2-17	43 J	VRM-087	TT
	39 J	VRM-099	TT
	43 J	VRM-129	TT
2 1/2-18	44 J	VRM-087	TT
2 1/2-21	38 J	VRM-022M	TT
2 3/4-16	43 J	VRM-094	TT
	43 J	VRM-099	TT./TBL
	36 B	VRM-186	TT
	46 P	VRM-201	TT./TBL
	-	VRM-262	TBL
2 3/4-17	46 J	VRM-087	TT
	39 J	VRM-099	TT
	47 P	VRM-201	TBL
3-18	52 J	VRM-022M	TT

STREET TIRES

DIMENSION	INDEX	PATTERN	TT./TBL
2.00-16	36 J	VRM-087	TT
2.00-17	33 J	VRM-054	TT
	38 J	VRM-087	TT
	33 J	VRM-093	TT
	33 J	VRM-099	TT
	33 P	VRM-125	TT
	27 L	VRM-126	TT
	27 L	VRM-329	TT
2.25-14	24 B	VRM-020	TT
2.25-17	39 L	VRM-011	TT
	39 J	VRM-013	TT
	39 J	VRM-018	TT
	39 J	VRM-019	TT
	39 J	VRM-054	TT
	39 P	VRM-081	TT
	33 L	VRM-085	TT
	39 L	VRM-086	TT
	39 J	VRM-093	TT
	39 L	VRM-094	TT
	39 J	VRM-097	TT
	38 L	VRM-099	TT
	39 L	VRM-101	TT
	39 L	VRM-103	TT
	39 J	VRM-114	TT
	39 J	VRM-115	TT

DIMENSION	INDEX	PATTERN	TT./TBL
2.25-17	39 P	VRM-125	TT
	39 P	VRM-126	TT
	39 P	VRM-132	TT
	38 P	VRM-159	TT
	39 P	VRM-167F	TT
	39 P	VRM-178	TT
	33 P	VRM-250	TT
	33 L	VRM-279F	TT
	33 L	VRM-283F	TT
	33 L	VRM-286	TT
	33 L	VRM-320	TT
2.25-19	43 J	VRM-013	TT
2.50-16	41 L	VRM-132	TT
2.50-17	41 P	VRM-159	TT
	43 L	VRM-011	TT
	43 J	VRM-014	TT
	43 L	VRM-015	TT
	43 L	VRM-019	TT
	43 J	VRM-054	TT
	43 P	VRM-081	TT
	43 J	VRM-086	TT
	43 L	VRM-094	TT
	43 J	VRM-096	TT
	43 J	VRM-097	TT
	39 J	VRM-099	TT
	43 L	VRM-101	TT
	42 P	VRM-103	TT
	43 L	VRM-115	TT
	43 P	VRM-125	TT
	43 P	VRM-126	TT
	43 P	VRM-132	TT
	43 P	VRM-159	TT
	43 P	VRM-168R	TT
	43 P	VRM-177	TT
	43 J	VRM-204	TT
	38 L	VRM-207	TT
	38 P	VRM-250	TT
	38 L	VRM-279R	TT
	38 L	VRM-283R	TT
	38 L	VRM-286	TT
	38 L	VRM-320	TT
	38 L	VRM-333F	TT
	38 P	VRM-359	TT
2.50-18	45 P	VRM-011	TT
	45 P	VRM-015	TT
	45 L	VRM-054	TT
	45 L	VRM-081	TT
	45 L	VRM-086	TT
	45 P	VRM-115	TT
	45 P	VRM-125	TT
	45 L	VRM-126	TT
	45 P	VRM-132	TT
	45 P	VRM-159	TT
	45 L	VRM-286	TT
2.75-14 (POSTAL)	35 P	VRM-011	TT
2.75-14	42 J	VRM-015	TT
	43 J	VRM-100	TT

DIMENSION	INDEX	PATTERN	TT./TBL
41 P	VRM-320	TT	
41 P	VRM-352	TT	
2.75-16	43 P	VRM-015	TT
2.75-16	48 P	VRM-099	TT
	46 L	VRM-100	TT
	46 P	VRM-159	TT
	46 M	VRM-185	TT
2.75/80-16	43 J	VRM-097	TT./TBL
2.75-17	46 P	VRM-015	TT
	47 P	VRM-018	TT
	42 P	VRM-088	TT
	47 P	VRM-097	TT
	47 P	VRM-125	TT
	41 P	VRM-126	TT
	47 P	VRM-159	TT
	41 P	VRM-207	TT
	47 P	VRM-214	TT
	41 P	VRM-333R	TT
	41 P	VRM-359	TT
2.75-18	48 P	VRM-011	TT
	48 P	VRM-015	TT
	48 J	VRM-018	TT
	48 P	VRM-019	TT
	48 P	VRM-054	TT
	48 P	VRM-103	TT
	48 P	VRM-115	TT
	48 P	VRM-125	TT
	48 P	VRM-126	TT
	47 P	VRM-158	TT
	48 P	VR	

STREET TIRES

Table with 4 columns: DIMENSION, INDEX, PATTERN, TT./TBL. containing various tire specifications for street use.

Table with 4 columns: DIMENSION, INDEX, PATTERN, TT./TBL. containing various tire specifications for street use.

TRAIL TIRES

Table with 4 columns: DIMENSION, INDEX, PATTERN, TT./TBL. containing various tire specifications for trail use.

Table with 4 columns: DIMENSION, INDEX, PATTERN, TT./TBL. containing various tire specifications for street use.

MOTOCROSS TIRES

Table with 4 columns: DIMENSION, INDEX, PATTERN, TT./TBL. containing various tire specifications for motocross use.

Table with 4 columns: DIMENSION, INDEX, PATTERN, TT./TBL. containing various tire specifications for street use.

MOTOCROSS TIRES

ENDURO TIRES

SNOW TIRES

DIMENSION	INDEX	PATTERN	TT./TBL
120/80-19	63 R	VRM-175	TT.
120/90-18	65 L	VRM-147	TT.
	65 M	VRM-175	TT.
	65 R	VRM-211	TT.
120/90-19	66 M	VRM-140	TT.
	66 M	VRM-200	TT.
120/100-18	68 M	VRM-140	TT.
	68 M	VRM-340R	TT.
130/90-17	68 P	VRM-147	TT.
130/90-18	69 R	VRM-147	TT.
140/80-18	70 R	VRM-147	TT.
	70 R	VRM-175	TT.
	70 R	VRM-211B	TT.

DIMENSION	INDEX	PATTERN	TT./TBL
2.75-21	45 P	VRM-163	TT.
4.10-18	59 P	VRM-163	TT.
5.10-17	-	VRM-251	TT.
5.10-18	-	VRM-251	TT.
80/100-19	49 P	VRM-354	TBL.
90/90-19	52 P	VRM-307	TT./TBL.
90/90-21	54 S	VRM-163	TT./TBL.
90/100-19	55 P	VRM-163	TT./TBL.
	55 P	VRM-298	TBL.
110/90-17	60 P	VRM-307	TT./TBL.
120/90-16	63 P	VRM-163	TT./TBL.
	63 P	VRM-298	TBL.
	63 P	VRM-354	TBL.
120/90-17	64 T	VRM-163	TT./TBL.
120/90-18	62 T	VRM-163	TBL.
130/80-17	65 S	VRM-163	TBL.
130/80-18	66 P	VRM-274	TT.
140/80-17	69 S	VRM-163	TBL.
140/80-18	73 R	VRM-303R	TT.
180/80-14	78 P	VRM-275	TT.

DIMENSION	INDEX	PATTERN	TT./TBL
2.25-17	33 P	VRM-325	TT.
2.50-17	38 P	VRM-325	TT.
2.75-14 4PR	35 P	VRM-325	TT.
6PR	41 P	VRM-325	TT.
	-	VRM-331F	TT.
	-	VRM-331R	TT.
	41 P	VRM-339	TT.
	41 P	VRM-349	TT.
	41 P	VRM-353	TT.
3.00-10	-	VRM-346	TBL.
80/80-16	46 J	VRM-353	TBL.
90/80-16	52 J	VRM-353	TBL.
110/80-14	59 J	VRM-353	TBL.

TRIAL TIRES

DIMENSION	INDEX	PATTERN	TT./TBL
2.50-19	41 L	VRM-308F	TT.
2.75-21	45 L	VRM-308F	TT.
3.50 R17	54 L	VRM-308R	TBL.
4.00 R18	64 L	VRM-308R	TBL.

TRAIL	021, 022, 022B, 122, 156, 193, 206, 219, 221, 335F, 335R
TRIAL	308F, 308R
ENDURO	163, 251, 274, 275, 298, 303R, 307, 354

MOTOCROSS

PATTERN	SOFT	MEDIUM	HARD
031			
109			
140			
147			
174			
175			
200			
211			
229			
236			
237			
240			
243			
270			
271			
272			
273			
276			
300F			
300R			
335F			
335R			
340F			
340R			

O.E. TIRES/EUROPE & ASIA

	Pattern	Size	Load/Speed Index	TT./TBL	Applicable Rims Recommended Rim	Overall Diameter	Overall Width	
MOPED	VRM-099	2 1/2 -16	42 J	TT.	1.60 X 16	544	70	
	VRM-201	2 1/2 -16	42 P	TBL.	1.60 X 16	548	70	
	VRM-099	2 3/4 -16	43 J	TT.	1.85 X 16	555	77	
	VRM-201	2 3/4 -16	46 P	TBL.	1.85 X 16	558	77	
SCOOTER	VRM-054	3.00 -10	42 J	TT.	2.15 X 10	429	86	
	VRM-134	3.00 -10	42 J	TT.	2.15 X 10	405.5	83	
	VRM-100	100/80-10	56 J	TBL.	2.50 X 10	420	102.4	
	VRM-134	100/80-10	56 J	TBL.	2.50 X 10	419	95	
	VRM-144	100/80-10	53 L	TBL.	2.50 X 10	426	96	
	VRM-217	100/80-10	53 L	TBL.	2.50 X 10	423	100	
	VRM-098	100/90-10	56 J	TBL.	2.50 X 10	428.5	96	
	VRM-144	120/70-10	54 L	TBL.	3.50 X 10	421	120.5	
	VRM-217	120/70-10	54 L	TBL.	3.50 X 10	422	112	
	VRM-134	130/70-10	62 J	TBL.	3.50 X 10	433.7	123	
	VRM-112	130/90-10	61 J	TBL.	3.00 X 10	493.5	137	
	VRM-134	120/70-11	50 L	TBL.	3.50 X 11	448.6	114.2	
	VRM-134	130/70-11	60 L	TBL.	3.50 X 11	459	125	
	VRM-112	110/90-12	64 M	TBL.	2.50 X 12	502	107	
	VRM-134	120/70-12	51 L	TBL.	3.50 X 12	469	120	
	VRM-119C	120/70-12	60 P	TBL.	3.50 X 12	475	120	
	VRM-155	120/70-12	51 L	TBL.	3.50 X 12	475	122	
	VRM-119C	130/70-12	60 P	TBL.	3.50 X 12	491	128	
	VRM-155	130/70-12	56 L	TBL.	3.50 X 12	486	123.2	
	VRM-134	140/60-12	56 M	TBL.	3.50 X 12	476	141	
	VRM-184	120/70-13	53 L	TBL.	3.50 X 13	493	126	
	VRM-119C	120/70-13	53 P	TBL.	3.50 X 13	492	125	
	VRM-119C	130/60-13	60 L	TBL.	3.50 X 13	488	126.5	
	VRM-119C	130/60-13	60 P	TBL.	3.50 X 13	488	133	
	VRM-119B	130/60-13	53 J	TBL.	3.50 X 13	490	124	
	VRM-184	140/60-13	57 L	TBL.	3.50 X 13	510	135	
	VRM-281	120/70-14	61 H	TBL.	3.50 X 14	518	115	
	VRM-281	140/60-14	64 H	TBL.	3.50 X 14	533	132	
	VRM-144	110/80-14	59 J	TBL.	2.50 X 14	531.5	104	
	VRM-144	80/80-16	46 J	TBL.	1.85 X 16	543	176.1	
	VRM-144	90/80-16	52 J	TBL.	2.15 X 16	555	185	
	STREET	VRM-279F	2.25 -17	33 L	TT.	1.40 X 17	558	61
		VRM-279R	2.50 -17	38 L	TT.	1.60 X 17	568	67
		VRM-100	2.75 -14	43 J	TT.	1.85 X 14	513	77
VRM-100		3.00 -14	56 J	TT.	1.85 X 14	521	89.2	
VRM-100		3.25 -16	56 J	TT.	2.15 X 16	591	97	
VRM-282		70/90-14	34 P	TT.	1.60 X 14	478	63.8	
VRM-282		80/90-14	40 P	TT.	1.85 X 14	493.5	73.5	
VRM-087		80/80-14	43 J	TT.	1.85 X 14	495	74	
VRM-087		90/80-14	59 L	TBL.	2.15 X 14	499	88.5	
VRM-234F		60/100-17	33 P	TT.	1.40 X 17	558.5	66.5	
VRM-295F		60/100-17	33 P	TT.	1.40 X 17	557	62	
VRM-304		60/100-17	33 P	TT.	1.40 X 17	551	60	
VRM-244		70/90-17	38 P	TT.	1.60 X 17	557.8	66.1	
VRM-234R		70/90-17	43 P	TT.	1.60 X 17	565	67.5	
VRM-295R		70/90-17	43 P	TT.	1.60 X 17	562	63	
VRM-244		80/90-17	44 P	TT.	1.85 X 17	575.5	75.3	
VRM-304		80/90-17	44 P	TT.	1.85 X 17	575	76.5	
VRM-097F		2.75/80-16	43 J	TT.	1.60 X 16	547	77	
VRM-097R		3.25/80-16	56 L	TT.	1.85 X 16	562	88	
VRM-224		100/80-16	50 T	TBL.	2.50 X 16	571	102	
VRM-134		100/80-17	52 S	TT.	2.50 X 17	604.8	96	
VRM-294		100/80-17	52 S	TT./TBL.	2.50 X 17	598	96	
VRM-224		110/70-16	52 P	TBL.	3.00 X 16	560	109	
VRM-224		130/70-16	61 P	TBL.	3.50 X 16	583	125	
VRM-134	130/70-17	62 S	TT.	3.50 X 17	610	121		
VRM-294	130/70-17	62 S	TT./TBL.	3.50 X 17	621	132		
TRAIL	VRM-122	80/90-21	48 P	TT.	1.85 X 21	690	78	
	VRM-122	90/90-21	54 P	TT.	2.15 X 21	714	93	
	VRM-193	100/90-18	56 P	TT.	2.50 X 18	642	103	
	VRM-122	110/80-18	62 P	TT.	2.50 X 18	647	103	
	VRM-193	130/80-17	65 P	TT.	3.00 X 17	642	128	
	VRM-219	2.50-16	36 L	TT.	1.60 X 16	545.3	67.2	
	VRM-219	2.75-14	35 L	TT.	1.85 X 14	510	72.5	
	VRM-221	3.00-21	51 P	TT.	1.85 X 21	701	84	
	VRM-221	4.10-18	60 P	TT.	2.50 X 18	648	114	
	TRIAL MOTOCROSS JUNIOR MOTOCROSS	VRM-270	2.50-10	32 J	TT.	1.60 X 10	385	69
VRM-271		2.75-10	37 J	TT.	1.60 X 10	396	77	
VRM-174		2.50-15		TT.	1.60 X 15	532	72	
VRM-174		3.00-12		TT.	1.85 X 12	477	90.5	
VRM-273		80/100-12	41 M	TT.	1.85 X 12	455.5	81.5	
VRM-272		60/100-14	29 M	TT.	1.40 X 14	483	72	
VRM-140		2.50-10	33 J	TT.	1.60 X 10	394	72	
VRM-140		90/100-16	51 M	TT.	2.15 X 16	602	101	
VRM-140		70/100-19	62 M	TT.	1.60 X 19	600	74	
VRM-211		90/90-21 E.L.M. M	54 R	TT.	2.15 X 21	699	84	
VRM-211	120/90-18 E.L.M. I	65 R	TT.	2.75 X 18	671	112		
TRIAL MOTOCROSS	VRM-308	2.75-21	45 L	TT.	1.85 X 21	695	77	
	VRM-308	4.00 R18	64 L	TBL.	MT 2.15 X 18	702	104	